



SETTING THE STANDARD FOR CONNECTORS

With operations in 30 countries, FCI is a leading manufacturer of connectors. Our 13,500 employees are committed to providing customers with high-quality, innovative products for a wide range of consumer and industrial applications.



Power Solutions™



www.consortiumsr.com



Il più grande magazzino nazionale di passivi ed elettromeccanici



PRIMARY MICRO BATTERIES


Primary Batteries	VARTA CardPower (Li-Polymer)	Lithium Cylindrical Cells	Zinc Air Cells
	Alkaline Batteries	Lithium Button Cells	Silver Oxide Button Cells

Small, in many cases invisible, microbatteries reliably supply a wide variety of devices with energy. Without microbatteries, many of the products surrounding us would only be possible in much more complex forms, if at all, and would therefore also be much more difficult to handle.



Product Overview:
11 different electro-chemical Systems

Reference	Type	Voltage	Capacity	Dimensions	Weight	Temperature Range	Self-Discharge	Notes
Card Power Lithium Cells (Li-MnO₂)								
LP71	8802	3.0	1.3	6.0	6.0	0 to 55	0.5	
LP75	8801	3.0	20.0	5.0	12.0	0 to 55	0.5	
Lithium Cylindrical Cells (Li-MnO₂)								
CR rechargeable series								
CR 1744	8122	3.0	200	14.70	20.1	-20 to 55	0.5	
CR 2134A	8227	3.0	1000	14.70	20.1	-20 to 55	0.5	
CR 2134	8280	3.0	1000	17.2	21.0	-20 to 55	0.5	
CR 34	8122	3.0	200	14.70	20.1	-20 to 55	0.5	
CR sealed series								
CR 1540	8320	3.0	1000	11.4	16.0	-20 to 55	0.5	
CR 1540	8270	3.0	1000	11.2	15.0	-20 to 55	0.5	
CR 1524	8320	3.0	1000	11.2	14.4	-20 to 55	0.5	
CR 15	8280	3.0	200	10.4	17.0	-20 to 55	0.5	
Lithium Button Cells (Li-MnO₂)								
CR 1016	8191	3.0	27	10.0	1.6	-20 to 55	0.5	
CR 1020	8220	3.0	30	10.0	1.9	-20 to 55	0.5	
CR 1540	8140	3.0	100	10.0	1.9	-20 to 55	0.5	
CR 1605	8020	3.0	70	10.0	1.5	-20 to 55	0.5	
CR 2016	8194	3.0	50	20.0	1.9	-20 to 55	0.5	
CR 3030	8220	3.0	100	20.0	3.0	-20 to 55	0.5	
CR 3030	8120	3.0	200	20.0	3.0	-20 to 55	0.5	
CR 3040	8660	3.0	200	24.0	3.0	-20 to 55	0.5	
CR 3040	8400	3.0	200	24.0	3.0	-20 to 55	0.5	
CR 3014	8121	3.0	150	11.6	16.8	-20 to 55	0.5	
Alkaline Manganese Button Cells (Zn-MnO₂)								
V101A	4271	1.5	20	11.0	2.1	-20 to 55	0.5	
V101B	4271	1.5	30	11.0	2.05	-20 to 55	0.5	
V102A	4271	1.5	10	11.0	4.2	-20 to 55	0.5	
V102B	4271	1.5	100	11.0	4.0	-20 to 55	0.5	
V103A	4251	1.5	30	10.0	2.05	-20 to 55	0.5	
V103B	4031	1.5	200	10.0	3.1	-20 to 55	0.5	
Silver Oxide Button Cells (Ag₂O)								
S101	201	1.55	10	11.0	4.2	-20 to 55	0.5	
S102	201	1.55	10	11.0	3.4	-20 to 55	0.5	
S103	201	1.55	10	11.0	2.8	-20 to 55	0.5	
S104	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S105	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S106	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S107	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S108	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S109	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S110	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S111	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S112	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S113	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S114	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S115	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S116	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S117	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S118	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S119	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S120	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S121	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S122	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S123	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S124	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S125	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S126	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S127	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S128	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S129	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S130	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S131	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S132	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S133	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S134	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S135	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S136	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S137	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S138	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S139	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S140	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S141	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S142	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S143	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S144	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S145	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S146	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S147	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S148	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S149	201	1.55	10	11.0	1.8	-20 to 55	0.5	
S150	201	1.55	10	11.0	1.8	-20 to 55	0.5	



DESIGN WITH MURATA RESISTORS

- Please ask for our free catalogue:
- NTC Thermistors R44E
- POSISTOR for Circuit Protection R90E
- Trimmer Potentiometers R50E



www.consortiumsr.com

L'UNIONE FA LA FORZA!

ELECTRONICPOINT Piemonte, Liguria, Val D'Aosta Via Boggio, 87/11 10149 Torino Tel. 0112165535/333 Fax 0112167116 e-mail: info@electronicpoint.it www.electronicpoint.it	COGEDIS Lombardia Via Stephenson, 88 20157 Milano (MI) Tel. 0239005266 Fax 0239005268 e-mail: info@kogedis.it www.kogedis.com	GIAMPER Triveneto Via Nogola, 240 32024 Castion (BL) Tel. 0437927547 Fax 0437920042 e-mail: giamper@giamper.com www.giamper.com	ALTA Emilia Romagna, Toscana, Umbria Via C. Cori, 119 50018 Scandicci (FI) Tel. 05575941 Fax 0557594333 e-mail: alta@altat.com www.altat.com	ELECTRONICPOINT Marche, Lazio, Abruzzo, sud Italia Via D. Luciani, 64 00149 ROMA Tel. 065500218 Fax 0655269996 e-mail: electronicpoint@ci.it www.electronicpoint.it
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------